

Fastener set RD-1

Ref. C28231

Ref. arch 42658NI, 42658GSS, 42658L9005, 42658L9010



- Completed set of items
- Lengthwise suspension on a wire
- Easy height adjustment of the suspension at the lighting fixture
- Easy installation without removing the end caps
- Includes 1.5 m wire


APPLICATION

- for suspending LED lighting fixtures

MOUNTING

- to the surface, using properly selected screws
- to the lighting fixture, using a small lock
- wire hooked into the ceiling plug with a crimp and adjusted at the fitting by means of a block

TECHNICAL DRAWING



TECHNICAL SPECIFICATIONS

Material	brass
Length	58.9"
Width	0.63"
Lifting capacity	33 lb

Color	Ref
■ silver glossy	C28231P00 42658NI
■ silver satynowy	C28231P01 42658GSS
■ black lacquered	C28231L07 42658L9005
□ white lacquered	C28231L10 42658L9010

Fastener set RD-1

Ref. C28231

Ref. arch 42658NI, 42658GSS, 42658L9005, 42658L9010

SAMPLE PROJECTS



RELATED PROFILES > ARCHITECTURAL




3035
A18039
Ref. arch 18039



3035-O
A08441
Ref. arch B8441



4050
A18050
Ref. arch 18050



4050-W
A18051
Ref. arch 18051



GIZA
A05556
Ref. arch B5556



GIZA-DUO-LL
A02162
Ref. arch C2162



GIZA-LL
A00758
Ref. arch C0758



JAZ
A08547
Ref. arch B8547




LIPOD
A05554
Ref. arch B5554




OPK-4
A00370
Ref. arch C0370

RELATED PROFILES > FOR MAIN LIGHTING



LIPOD-50
A02609
Ref. arch C2609



SEPOD
A06593
Ref. arch B6593

RELATED PROFILES > MINIMALISTIC

Fastener set RD-1

Ref. C28231

Ref. arch 42658NI, 42658GSS, 42658L9005, 42658L9010



PIKO-ZM
A01168
Ref. arch C1168

RELATED PROFILES > UNIVERSAL



OLEK
A08505
Ref. arch B8505




PDS-ZM-PLUS
A02056
Ref. arch C2056



PDS-ZMG
A01418
Ref. arch C1418

RELATED SYSTEMS > GENERAL LIGHTING SYSTEMS



3035-KOZE
A08441+A18056
Ref. arch 18056+B8441



PK-4
A18044+A00370
Ref. arch 18044+C0370