



TECHNICAL SPECIFICATIONS

Material	stainless steel
Color	■ silver
Thickness	1.5 mm

Shape	Joining angle	Ref
	60°	42304
	90°	42306
	120°	42308
	135°	42310
T	45°	42324
T	60°	42326
T	90°	42328
X	45°	42330
X	60°	42332
X	90°	42334
Y	120°	42336
	45°	42338

RELATED PROFILES > ARCHITECTURAL




3035
A18039



3035-O
A08441



4050
A18050



4050-W
A18051



GIZA-DUO-LL
A02162



GIZA-LL
A00758



GLAZA-DUO
A03059



GLAZA-LL
A02627



JAZ
A08547



KOPRO-30
A07890



OPAC-30
A06164




OPK-4
A00370


RELATED PROFILES > FOR MAIN LIGHTING




LARKO-50
A00756



LIPOD-50
A02609



MOD-100
A18049



MOD-50
A18047

RELATED PROFILES > MINIMALISTIC



PIKO-ZM
A01168

RELATED PROFILES > MOUNTING TRACKS



RAM-KOL-100
A18062




RAM-KOL-50
A18060


RELATED PROFILES > STRETCH CEILINGS



FOLED
A08332V1



FOLED-50
A03632



FOLED-50-BOK
A57945



FOLED-50-SUF
A03631



FOLED-BOK
A08334V1



FOLED-SUF
A08333V1

RELATED PROFILES > UNIVERSAL



OLEK
A08505



PDS-ZM-PLUS
A02056



PDS-ZMG
A01418